



AO

Alüminyum Oksit

Ürün Kodu	: AYXR11
Aşındırıcı	: Alüminyum Oksit
Mesnet	: YY Polyester Bez
Kum Aralığı	: 16-600
Uygulama	: Ahşap, düşük alaşımlı çelik, paslanmaz çelik (Inox), pirinç, bakır ve demir dışı metal malzemelerde kullanılır.
Özellik	: Kapalı kaplama yapısına sahiptir.

Tip	Ebat (mm)	16	36	40	60	80	100	120	150	180	220	240	280	320	400	500	600
Deliksiz	125	997836	997842	953592	032399	032400	977054	977056	997862	997867	997871	976683	997881	976684	976685	032402	997908
	150	910926	997843	997848	032409	032401	977059	945929	997861	945930	997872	997876	997888	997896	997901	032403	997906



YY Polyester Cloth Hook & Loop Discs



AO

Aluminum Oxide

- Product Code : AYXR11
- Abrasive : Aluminum Oxide
- Backing : YY Polyester Cloth
- Grit Range : 16-600
- Application : Ideal for sanding wood, low alloy steel, stainless steel (Inox), brass, copper and non ferrous metals.
- Feature : Closed coating.

Type	Dimension (mm)	16	36	40	60	80	100	120	150	180	220	240	280	320	400	500	600
No Hole	125	997836	997842	953592	032399	032400	977054	977056	997862	997867	997871	976683	997881	976684	976685	032402	997908
	150	910926	997843	997848	032409	032401	977059	945929	997861	945930	997872	997876	997888	997896	997901	032403	997906



Disques Auto-Agrippant en Toile Polyester YY



AO

Oxyde d'Aluminium

Code de Produit : AYXR11

Abrasif : Oxyde d'Aluminium

Support : Toile Polyester YY

Granulométrie : 16-600

Application : Idéal pour le ponçage du bois, de l'acier faiblement allié, de l'acier inoxydable (Inox), du laiton, du cuivre et des métaux non ferreux.

Caractéristiques : Structure fermée.

Type	Dimension (mm)	16	36	40	60	80	100	120	150	180	220	240	280	320	400	500	600
Sans Trou	125	997836	997842	953592	032399	032400	977054	977056	997862	997867	997871	976683	997881	976684	976685	032402	997908
	150	910926	997843	997848	032409	032401	977059	945929	997861	945930	997872	997876	997888	997896	997901	032403	997906

